

Adobe® After Effects®

Version 5.0 for Windows®

QUICK REFERENCE CARD



Working with footage items (Project window)

RESULT	ACTION
When opening a project, suppress opening of all windows (except the project window)	Hold down ⇧
Open last project	⇧ + Alt + ⇧ + P
Open selected footage item or composition	Double-click or Enter on numeric keypad
Open movie in an After Effects footage window	Alt-double-click
Activate most recent composition	\
Add selected item to most recently activated composition	⇧ + /
Replace a selected layer's source footage in Composition window with selected footage	⇧ + Alt + /

RESULT	ACTION
Replace a selected layer's source footage item or composition	Alt-drag footage item from Project window into composition
Replace footage file	⇧ + H
Set Interpret Footage options	⇧ + F
Scan for changed footage	⇧ + Alt + ⇧ + Q
New folder	⇧ + Alt + ⇧ + N
Remember footage interpretation	⇧ + Alt + C
Apply footage interpretation	⇧ + Alt + V
Set proxy file	⇧ + Alt + P
Project Settings	⇧ + Alt + ⇧ + K

Viewing windows (Composition, Layer, and Footage windows)

RESULT	ACTION
Cycle through open windows	⇧ + Tab
Display/hide title-safe and action-safe zones	' (apostrophe)
Display/hide grid	⇧ + ' (apostrophe)
Display/hide proportional grid	Alt + ' (apostrophe)
Center active window	⇧ + Alt + \
Suspend window updates	Caps Lock
Cycle through tabs in the frontmost window	⇧ + , (comma) and ⇧ + . (period) Add Alt to zoom the window to fit
Take multiple (up to four) snapshots	⇧ + F5, F6, F7, and F8
Display snapshot in active window	F5, F6, F7, and F8
Purge snapshot	⇧ + ⇧ + F5, F6, F7, and F8

RESULT	ACTION
Purge all	⇧ + Alt + / on numeric keypad
Display channel (RGBA)	Alt + 1, 2, 3, or 4
Display channel (RGBA) in color	Alt + ⇧ + 1, 2, 3, or 4
Display channel in color	⇧ + click channel icon
Display unmatted color channels	⇧ + click alpha channel icon
Display Project window	⇧ + 0
Display Project Flowchart view	⇧ + F11
Display/hide palettes	Tab
Close active tab/window	⇧ + W
Close active window (all tabs)	⇧ + ⇧ + W
Close all windows (except Project window)	⇧ + Alt + W

⇧ Control ⇧ Shift □ Key

Right-click objects and in windows to see context menus.

Moving around (Timeline window)

RESULT	ACTION
Go to beginning of work area	⇧ + Home
Go to end of work area	⇧ + End
Go to previous visible keyframe or layer marker	J
Go to next visible keyframe or layer marker	K

RESULT	ACTION
Go to a composition-time marker	0–9 on main keyboard
Scroll selected layer to top of Timeline window	X
Scroll current time to center of window	D
Go to time	⇧ + G

Moving around (Composition, Timeline, Footage, and Layer windows)

RESULT	ACTION
Go to beginning	Home or ^ + Alt + ⇩
Go to end	End or ^ + Alt + ⇩
Step forward 1 frame	Page Down or ^ + ⇩
Step forward 10 frames	⇧ + Page Down or ⇧ + ^ + ⇩
Step backward 1 frame	Page Up or ^ + ⇨

RESULT	ACTION
Step backward 10 frames	⇧ + Page Up or ⇧ + ^ + ⇨
Go to layer In point	i
Go to layer Out point	o
Snap items such as keyframes, time markers, and In and Out points to each other on a time ruler	⇧ -drag item

Previewing (Timeline window)

RESULT	ACTION
Start/pause playback	Spacebar
Preview audio from the current time	. (period) on numeric keypad
RAM preview	0 on numeric keypad
RAM preview every other frame	⇧ + 0 on numeric keypad
Save RAM preview	^ + 0 on numeric keypad
Scrub video	Drag or Alt-drag current-time marker, depending on Preview Preferences setting
Scrub audio	⇧ -drag current-time marker

RESULT	ACTION
Wireframe preview	Alt + 0 on numeric keypad
Display rectangle instead of alpha outline during wireframe preview	^ + Alt + 0 on numeric keypad
Leave window contents during wireframe preview	⇧ + Alt + 0 on numeric keypad
Leave window contents during rectangle preview	^ + ⇧ + Alt + 0 on numeric keypad

Note: If no layers are selected, commands are applied to all layers.

Note: Visual previews honor loop and audio toggles in Time Controls palette.

Working with layers (Composition and Timeline windows)

RESULT	ACTION
Rename layer, composition, folder, or effect	Enter key on main keyboard
Select next layer back	^ + [
Select next layer forward	^ +]
Select a layer by its layer-outline number	1–9 on numeric keypad
Select noncontiguous layers	^ -click layers
Deselect all layers	^ + ⇧ + A, or F2
Lock selected layers	^ + L
Unlock all layers	^ + ⇧ + L
Split selected layer	^ + ⇧ + D
Activate Composition window with layer	\
Display selected layer in Layer window	Enter on numeric keypad
Show/hide video	^ + Alt + ⇧ + V
Hide other video	^ + ⇧ + V
Display or close Effect Controls window for selected layer	^ + ⇧ + T, or F3
Switch between Composition and Timeline windows	\
Open source of a layer	Alt-double-click a layer, or press Alt-Enter on numeric keypad
Scale layer without dragging a handle in Composition window	Alt-drag layer
Snap layer to edges or center of frame in Composition window	^ + ⇧ -drag layer (begin dragging before pressing keys)
Constrain layer movement along x-axis or y-axis	⇧ -drag layer (begin dragging before pressing keys)
Stretch layer to fit Composition window	^ + Alt + F

RESULT	ACTION
Stretch layer to fit horizontally, preserving frame aspect ratio	^ + Alt + ⇧ + H
Stretch layer to fit vertically, preserving frame aspect ratio	^ + Alt + ⇧ + G
Reverse a layer's playback	^ + Alt + R
Set In point	[(left bracket)
Set Out point] (right bracket)
Trim In point of a layer	Alt + [(left bracket)
Trim Out point of a layer	Alt +] (right bracket)
Display solid settings	^ + ⇧ + Y
Create new null object	^ + Alt + ⇧ + Y
Add/remove expression	Alt-click property stopwatch
Set In point by time-stretching	^ + ⇧ + , (comma)
Set Out point by time-stretching	^ + Alt + , (comma)
Move In point to beginning of composition	Alt + Home
Move Out point to end of composition	Alt + End
Constrain rotation to 45-degree increments	⇧ -drag rotation tool
Constrain scaling to footage frame aspect ratio	⇧ -drag layer handle
Constrain movement along x or y axis	⇧ -drag layer
Reset rotation angle to 0 degrees	Double-click rotation tool
Reset scale to 100%	Double-click selection tool
Change property value	Drag underlined values in Switches/Modes panel
Change property value x 10	⇧ -drag underlined values
Change property value / 10	^ -drag underlined values

Zooming

RESULT	ACTION
Zoom in	.(period) or ^ + Alt + =
Zoom out	, (comma) or ^ + Alt + - (hyphen) on main keyboard
Zoom in and resize window	Alt + . (period) or ^ + = on main keyboard
Zoom out and resize window	Alt + , (comma) or ^ + - (hyphen) on main keyboard

RESULT	ACTION
Zoom to 100%	/ (on main keyboard) or double-click zoom tool
Zoom to 100% and resize window	Alt + / on main keyboard
Zoom window	^ + \
Zoom window to fill monitor	^ + ⇧ + \

Viewing layer properties (Timeline window)

RESULT	ACTION
Anchor Point	A
Audio Levels	L
Audio Waveform	LL
Effects	E
Expressions	EE
Mask Feather	F
Mask Shape	M
Mask Opacity	TT
Mask properties	MM
Material options (3D)	AA
Opacity	T
Position	P
Rotation	R
Time Remapping	RR
Scale	S

RESULT	ACTION
Show all animating values	U
Set layer property value in dialog box (works with P, S, R, F, and M)	^ + ⇧ + property shortcut
Hide property or category	Alt + ⇧ -click property or category name
Display/hide Parent column	Shift + F4
Add/remove property	⇧ + property shortcut
Toggle switches/modes	F4
Turn off all other solo switches	Alt-click solo switch
Change a setting (such as video or lock) for all selected layers	Click layer switch
Open Opacity dialog box	^ + ⇧ + O
Open Anchor Point dialog box	^ + ⇧ + Alt + A
Zoom to or from frame view	; (semicolon)
Zoom in time	= on main keyboard
Zoom out time	- (hyphen) on main keyboard

Working with compositions (Composition window)

RESULT	ACTION
Set composition resolution to custom	^ + Alt + J
Composition Flowchart view	^ + ⇧ + F11

RESULT	ACTION
Toggle window display options in palette menu	^ + ⇧ + H

Using the Tools palette (Tools palette)

RESULT	ACTION
Selection tool: Selects, moves, and resizes layers, masks, and controls	V
Rotation tool: Rotates layers in the Composition window	W
Camera tools (3D): Orbit, Track XY, and Track Z	C, or ⇧ + C to cycle through tools
Rectangle tool or Oval tool: Draws a rectangular or elliptical mask in the Layer window; double-click to reset the mask	Q, or ⇧ + Q to toggle between tools

RESULT	ACTION
Pen tool: Edits Bezier masks, motion paths, and Value graphs	G
Pan Behind tool: Moves a layer behind a mask, or moves the anchor point without moving the layer	Y
Hand tool: Scrolls window to reveal areas beyond window edge; hold down spacebar to use Hand tool in any window	H, or hold down spacebar
Zoom tool: Magnifies (or reduces using Alt) an area of a page	Z

Modifying keyframes (Timeline window)

RESULT	ACTION
Add or remove keyframe (if stopwatch is on) or turn on time-vary stopwatch (if off)	Alt + ⇧ + property display shortcut
Select all keyframes for a property	Click property name
Deselect all keyframes	Shift + F2
Snap keyframe to significant times	⇧-drag keyframe
Nudge keyframe 1 frame forward	Alt + ⏪
Nudge keyframe 1 frame backward	Alt + ⏩
Select all visible keyframes	^ + Alt + A
Go to previous visible keyframe	J
Go to next visible keyframe	K

RESULT	ACTION
Switch interpolation between Linear and Auto Bezier	^ -click keyframe
Change Auto Bezier interpolation to Continuous Bezier	Drag keyframe handle
Toggle between Continuous Bezier and Bezier interpolation	^ + drag keyframe handle
Easy ease	F9
Easy ease in	Shift + F9
Easy ease out	^ + Shift + F9

Nudging layers (Composition and Timeline windows)

RESULT	ACTION
Nudge layer 1 pixel in specific direction	Arrow key (nudges in direction of arrow)
Nudge layer 1 frame earlier	Alt + page up
Nudge layer 1 frame later	Alt + page down
Nudge layer rotation +1 degree	+ (plus) on numeric keypad

RESULT	ACTION
Nudge layer rotation -1 degree	- (minus) on numeric keypad
Nudge layer scaling +1%	^ ++ (plus) on numeric keypad
Nudge layer scaling -1%	^ +- (minus) on numeric keypad

Note: Nudging counts pixels at the current magnification, not at actual size. For example, nudging an item 1 pixel at 50% magnification is the same as nudging the item 2 pixels at 100% magnification.

Note: Hold down ⇧ to amplify nudging, scaling, or rotation by 10.

Setting the work area (Timeline window)

RESULT	ACTION
Set beginning of work area to current time	B
Set end of work area to current time	N

RESULT	ACTION
Set work area to selected layers	^ + Alt + B
Set work area to composition duration when no layers are selected	^ + Alt + B

Working with masks (Composition and Layer windows)

RESULT	ACTION
Reset oval or rectangle mask to fill window	Double-click tool
Scale around center point in Free Transform mode	^ + drag

RESULT	ACTION
Select all points in a mask	Alt-click mask
Free transform mask	^ + T, or double-click mask
Exit free transform mask	Enter

Working with effects (Effect Controls window)

RESULT	ACTION
Expand/collapse effect controls	` (grave accent)
Add keyframe for effect control	Alt-click effect property name

RESULT	ACTION
Activate composition window containing layer	\

Working with 3D animation (Composition and Timeline windows)

RESULT	ACTION
New camera	⌘ + Alt + ⇧ + C
New light	⌘ + Alt + ⇧ + L
Orientation (for 3D layer)	⌘ + Alt + ⇧ + R
Remember view A	Shift + F10
View stored view A (defaults to Front)	F10

RESULT	ACTION
Remember view B	Shift + F11
View stored view B (defaults to Custom View 1)	F11
Remember view C	Shift + F12
View stored view C (defaults to Active Camera)	F12
Return to previous view	Esc
Toggle Casts Shadows property	Alt + ⇧ + C

Using markers (Composition and Timeline windows)

RESULT	ACTION
Set layer-time marker	* on numeric keypad
Remove layer-time marker	⇧ -click marker
Go to previous visible layer-time marker or keyframe	J

RESULT	ACTION
Go to next visible layer-time marker or keyframe	K
Go to a composition-time marker	0–9 on main keyboard
Set and number a composition-time marker at the current time	⇧ + 0–9 on main keyboard

Using other palettes (any window)

RESULT	ACTION
Switch from selection tool to pen tool	Hold down ⇧
Switch from pen tool to selection tool	Hold down ⇧

RESULT	ACTION
Display filename in Info palette	⇧ + Alt + E